



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
09/878,270	06/12/2001	Kenichi Miki	047912-0136	2988

22428 7590 03/31/2004

FOLEY AND LARDNER
SUITE 500
3000 K STREET NW
WASHINGTON, DC 20007

EXAMINER

TORRES, JOSEPH D

ART UNIT	PAPER NUMBER
----------	--------------

2133

DATE MAILED: 03/31/2004

7

Please find below and/or attached an Office communication concerning this application or proceeding.

Office Action Summary

Application No.

09/878,270

Applicant(s)

MIKI, KENICHI

Examiner

Joseph D. Torres

Art Unit

2133

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --

Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If the period for reply specified above is less than thirty (30) days, a reply within the statutory minimum of thirty (30) days will be considered timely.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

Status

- 1) ☒ Responsive to communication(s) filed on 17 March 2004.
- 2a) ☒ This action is **FINAL**. 2b) ☐ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

Disposition of Claims

- 4) ☒ Claim(s) 1-11 is/are pending in the application.
- 4a) Of the above claim(s) _____ is/are withdrawn from consideration.
- 5) ☐ Claim(s) _____ is/are allowed.
- 6) ☒ Claim(s) 1-11 is/are rejected.
- 7) ☐ Claim(s) _____ is/are objected to.
- 8) ☐ Claim(s) _____ are subject to restriction and/or election requirement.

Application Papers

- 9) ☐ The specification is objected to by the Examiner.
- 10) ☒ The drawing(s) filed on 12 June 2001 is/are: a) ☒ accepted or b) ☐ objected to by the Examiner.
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
- 11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

Priority under 35 U.S.C. § 119

- 12) ☒ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☒ All b) ☐ Some * c) ☐ None of:
1. ☒ Certified copies of the priority documents have been received.
2. ☐ Certified copies of the priority documents have been received in Application No. _____.
3. ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).
- * See the attached detailed Office action for a list of the certified copies not received.

Attachment(s)

- 1) ☐ Notice of References Cited (PTO-892)
- 2) ☐ Notice of Draftsperson's Patent Drawing Review (PTO-948)
- 3) ☐ Information Disclosure Statement(s) (PTO-1449 or PTO/SB/08)
Paper No(s)/Mail Date _____
- 4) ☐ Interview Summary (PTO-413)
Paper No(s)/Mail Date. _____
- 5) ☐ Notice of Informal Patent Application (PTO-152)
- 6) ☐ Other: _____

Art Unit: 2133

DETAILED ACTION

Drawings

1. In view of Amendment A of Paper No. 6, the Examiner withdraws all objections to the drawings.

Specification

2. In view of Amendment A of Paper No. 6, the Examiner withdraws all objections to the specification.

Claim Rejections - 35 USC § 112

The following is a quotation of the first paragraph of 35 U.S.C. 112:

The specification shall contain a written description of the invention, and of the manner and process of making and using it, in such full, clear, concise, and exact terms as to enable any person skilled in the art to which it pertains, or with which it is most nearly connected, to make and use the same and shall set forth the best mode contemplated by the inventor of carrying out his invention.

3. Claims 4-8, 10 and 11 are rejected under 35 U.S.C. 112, first paragraph, as failing to comply with the enablement requirement. The claim(s) contains subject matter which was not described in the specification in such a way as to enable one skilled in the art to which it pertains, or with which it is most nearly connected, to make and/or use the invention. Claim 4 recites, "if said one cache module fails, using only the remaining ones of said data items and said parity items". Nowhere in the claim does the Applicant suggest that all of the "remaining ones of said data items and said parity items" are stored on any other cache module other than the damaged one, hence some of the

Art Unit: 2133

remaining data items may belong to the damaged cache module. Nowhere has the Applicant shown how to use "remaining ones of said data items and said parity items" belonging to a damaged cache module. Note: lines 7-8 only states, "a plurality of cache modules for temporarily storing said divided data items and said parity data respectively" so that if all the data items were stored in one cache module and all the parity items in another the limitation would be satisfied.

Claims 5-8, 10 and 11 depend from independent claim 4.

The following is a quotation of the second paragraph of 35 U.S.C. 112:

The specification shall conclude with one or more claims particularly pointing out and distinctly claiming the subject matter which the applicant regards as his invention.

4. Claims 1-11 are rejected under 35 U.S.C. 112, second paragraph, as being indefinite for failing to particularly point out and distinctly claim the subject matter which applicant regards as the invention.

Claim 1 recites the limitation "only the remaining ones of said divided data items" in line 15. There is insufficient antecedent basis for this limitation in the claim and it is impossible to determine what "only the remaining ones" refers to.

The Examiner assumes that the fetched data items are comprised of a repaired data item and "only the remaining ones".

Claims 2, 3, 4 and 9 recite similar language.

Claims 5-8, 10 and 11 depend from independent claim 4.

Response to Arguments

5. Applicant's arguments with respect to claims 1-11 have been considered but are moot in view of the new ground(s) of rejection. Applicant's amendment necessitated the new ground(s) of rejection presented in this Office action. Accordingly, **THIS ACTION IS MADE FINAL.**

Claim Rejections - 35 USC § 103

The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negated by the manner in which the invention was made.

The factual inquiries set forth in *Graham v. John Deere Co.*, 383 U.S. 1, 148 USPQ 459 (1966), that are applied for establishing a background for determining obviousness under 35 U.S.C. 103(a) are summarized as follows:

1. Determining the scope and contents of the prior art.
 2. Ascertaining the differences between the prior art and the claims at issue.
 3. Resolving the level of ordinary skill in the pertinent art.
 4. Considering objective evidence present in the application indicating obviousness or nonobviousness.
6. Claims 1-11 are rejected under 35 U.S.C. 103(a) as being unpatentable over Flora, Laurence P. et al. (US 4722085 A, hereafter referred to as Flora).

35 U.S.C. 103(a) rejection of claim 1.

Art Unit: 2133

Flora teaches a method for controlling a data read/write operation (see Abstract and Figure 2 in Flora; Note: Storage Control Unit 30 and Read/Write Interface 25 in Figure 2 are a controller for controlling a data read/write operation) comprising: a data receiving step of receiving predetermined data to be written to a disk from an upper-level host system (col. 1, lines 8-15 in Flora teach that the storage system of Figure 2 is for use in a data processing system which comprises a host computer and peripheral devices which in the case of the teachings in Flora would include the peripheral storage device of Figure 2); a data processing step of conducting predetermined processing on said received data (Data Organizer 34 in Figure 3 of Flora is a device for performing a data processing step of conducting predetermined processing on said received data); and a data write-in step of writing said processed data to said disk (Note: the Data Organizer 34 in Figure 3 is a component within the Read/Write Interface 25 in Figure 2 of Flora), wherein said data processing step comprises: a data dividing step of dividing said data received at said data receiving step into a plurality of data items and also generating parity data (col. 3, lines 48-67 of Flora teach that 32 disk sectors are divided into 2048 words, each word comprised of 32 bits, B0-B31, and Error Circuitry 32 in Figure 3 of Flora adds 7 check-bits, i.e., parity, to each word, one word at a time; Note: the matrix array comprising the 2048 words in Figure 4 is divided into 32 columns and 7 check-bits of parity are produced for each word in each row to create an additional 7 columns so that the 2048 words are divided into 32 columns of data, labeled B0-B31, and 7 columns of check-bit parity, corresponding to check-bit parity data items B32-B38; hence each word comprises 32 data items, B0-B31, and 7 check-bit parity data items,

Art Unit: 2133

B32-B38); a data storing step of individually storing said divided data items and said parity data items into cache modules respectively (each column of data, corresponding to data items B0-B31, and each columns of parity, corresponding to check-bit parity data items B32-B38, is serially stored in respective buffers 13-0 to 13-38); a data repairing step of fetching said divided data items and said parity data from said cache modules and repairing one of said divided data items, if said one is damaged (col. 5, lines 1-25 of Flora teach that data is fetched from the disk array by temporarily storing the respective data items, B0-B31, and check-bit parity data items, B32-B38, in respective buffers and correcting any single bit of error in each word if an error is detected), using said parity data; and a data combining step of combining said divided data items (col. 5, lines 1-25 of Flora teach that the Data Organizer 34 rearranges the data for transmission to the storage control unit 30).

Note: the IEEE Authoritative Dictionary of IEEE Standard Terms defines a data processing system as a system including computer and associated personal that performs input, processing, storage output, and control functions to accomplish a sequence of operations on data. In addition, the IEEE Authoritative Dictionary of IEEE Standard Terms defines host as a device, typically a computer that will control the communication with attached peripherals. Hence since a data processing system generally comprises a computer for performing processing, storage output, and control functions to accomplish a sequence of operations on data a data processing system inherently comprises a host computer, i.e. a host system, for controlling communication with attached peripherals.

Note: the IEEE Authoritative Dictionary of IEEE Standard Terms defines cache as a buffer inserted between one or more processors and the bus, used to hold currently active copies of blocks from main memory. Since the buffers in Flora are designed to be connected between a computer and main disk array memory for temporary storage, they are cache.

However Flora does not explicitly teach the specific use of “using said parity data and only the remaining ones of said data items”.

The Examiner asserts that col. 5, lines 50-57 in Flora teaches that removing a damaged disk from the error correction system will not affect system performance as long as the number of correctable errors is not exceeded, hence Flora clearly suggests that disabling a damaged disk will not interfere with system operations assuming an adequate amount error correction capabilities is provided (Note: if a disk drive were disabled only the remaining ones of said data items are used). One of ordinary skill in the art at the time the invention was made would have been highly motivated to operate the system with a disabled drive until a replacement drive was found in order to insure system availability and minimize system downtime since Flora explicitly suggests that such operations can be maintained assuming an adequate amount error correction capabilities is provided.

Therefore, it would have been obvious to one of ordinary skill in the art at the time the invention was made to modify the teachings of Flora by including an additional step of using said parity data and only the remaining ones of said data items. This modification would have been obvious to one of ordinary skill in the art, at the time the invention was

Art Unit: 2133

made, because one of ordinary skill in the art would have recognized that using said parity data and only the remaining ones of said data items would have provided the opportunity to insure system availability and minimize system downtime.

35 U.S.C. 103(a) rejection of claim 2.

Note: MPEP § 2131.01(III) states an extra reference or evidence can be used to show an inherent characteristic of the thing taught by the primary reference: "To serve as an anticipation when the reference is silent about the asserted inherent characteristic, such gap in the reference may be filled with recourse to extrinsic evidence. Such evidence must make clear that the missing descriptive matter is necessarily present in the thing described in the reference, and that it would be so recognized by persons of ordinary skill." *Continental Can Co. USA v. Monsanto Co.*, 948 F.2d 1264, 1268, 20

USPQ2d 1746, 1749 (Fed. Cir. 1991).

Accordingly, the Examiner introduces the Wicker reference (Stephen B. Wicker, "Error Control Systems for Digital Communication and Storage", Prentice-Hall, 1995, Pages 116-121) as a teaching reference for that which is inherent in the Flora patent. Flora, in column 5, lines 10-25, teaches that the error correction circuitry in the Flora patent operates in a conventional manner. Wicker, on the other hand, teaches the conventional algorithm for decoding systematic codes, i.e., codewords that are comprised of message bits and corresponding check-bit parity data items.

Flora teaches a method for controlling a data read/write operation (see Abstract and Figure 2 in Flora; Note: Storage Control Unit 30 and Read/Write Interface 25 in Figure 2

Art Unit: 2133

are a controller for controlling a data read/write operation) comprising: a data read-out step of reading out predetermined data to be transmitted to an upper-level host system from a disk (col. 4, lines 65-68 and col. 5, lines 1-9 in Flora teach a data read-out step of reading out predetermined data to be transmitted to an upper-level host system from a disk in response to the transfer signal Tr); a data processing step of conducting predetermined processing on said read out data (the read out processing taught in col. 4, lines 65-68 and col. 5, lines 1-25 in Flora is a data processing step of conducting predetermined processing on said read out data); and a data transmitting step of transmitting said processed data to said upper-level host system (col. 5, lines 21-25 in Flora teach a data transmitting step of transmitting said processed data to said upper-level host system), wherein said data processing step comprises: a data dividing step of dividing said data read out at said data read-out step into a plurality of data items (Note: each of the words read out of the disk array are divided by controllers 12-0 to 12-31 in Figure 3 of Flora into data items, B0-B31) and also generating parity data (controllers 12-32 to 12-38 in Figure 3 of Flora generate parity check-bit data by applying a read operation to extract the parity check-bit data from the disk array; Note: Miriam-Webster's dictionary defines generate as to define or originate by the application of one or more rules or operations); a data storing step of individually storing said divided data items and said parity data items into cache modules respectively (in Figure 3 of Flora data items, B0-B31, are stored in respective buffers, 13-0 to 13-31, and check-bit parity data items, B32-B38, are stored in respective buffers, 13-32 to 13-38); a data repairing step of fetching said divided data items and said parity data from said cache modules

Art Unit: 2133

and also repairing one of said divided data, if said one is damaged, using said parity data (col. 5, lines 1-25 of Flora teach that data is fetched from the disk array by temporarily storing the respective data items, B0-B31, and check-bit parity data items, B32-B38, in respective buffers and correcting any single bit of error in each word if an error is detected); and a data combining step of combining said divided data (col. 5, lines 1-25 of Flora teach that the Data Organizer 34 rearranges the data for transmission to the storage control unit 30).

Note: the IEEE Authoritative Dictionary of IEEE Standard Terms defines a data processing system as a system including computer and associated personal that performs input, processing, storage output, and control functions to accomplish a sequence of operations on data. In addition, the IEEE Authoritative Dictionary of IEEE Standard Terms defines host as a device, typically a computer that will control the communication with attached peripherals. Hence since a data processing system generally comprises a computer for performing processing, storage output, and control functions to accomplish a sequence of operations on data, a data processing system inherently comprises a host computer, i.e. a host system, for controlling communication with attached peripherals.

Note: the IEEE Authoritative Dictionary of IEEE Standard Terms defines cache as a buffer inserted between one or more processors and the bus, used to hold currently active copies of blocks from main memory. Since the buffers in Flora are designed to be connected between a computer and main disk array memory for temporary storage, they are cache.

Art Unit: 2133

However Flora does not explicitly teach the specific use of “using said parity data and only the remaining ones of said data items”.

The Examiner asserts that col. 5, lines 50-57 in Flora teaches that removing a damaged disk from the error correction system will not affect system performance as long as the number of correctable errors is not exceeded, hence Flora clearly suggests that disabling a damaged disk will not interfere with system operations assuming an adequate amount error correction capabilities is provided (Note: if a disk drive were disabled only the remaining ones of said data items are used). One of ordinary skill in the art at the time the invention was made would have been highly motivated to operate the system with a disabled drive until a replacement drive was found in order to insure system availability and minimize system downtime since Flora explicitly suggests that such operations can be maintained assuming an adequate amount error correction capabilities is provided.

Therefore, it would have been obvious to one of ordinary skill in the art at the time the invention was made to modify the teachings of Flora by including an additional step of using said parity data and only the remaining ones of said data items. This modification would have been obvious to one of ordinary skill in the art, at the time the invention was made, because one of ordinary skill in the art would have recognized that using said parity data and only the remaining ones of said data items would have provided the opportunity to insure system availability and minimize system downtime.

35 U.S.C. 103(a) rejection of claim 3.

Art Unit: 2133

Flora teaches a disk array apparatus (Figure 3 in flora is an exemplary disk array apparatus) comprising an array controlling unit for receiving an instruction from an upper-level host system to thereby write predetermined data to or read said predetermined data out from a disk and also conduct operational processing on said predetermined data (Read/Write Interface 25 in Figure 2 and 3 of Flora is an array controlling unit for receiving an instruction from an upper-level host system to thereby write predetermined data to or read said predetermined data out from a disk and also conduct operational processing on said predetermined data; Note: the read/write processing taught in col. 3, lines 48-68, col. 4, lines 1-23, col. 4, lines 65-68 and col. 5, lines 1-25 in Flora are read/write data processing steps for conducting predetermined processing on read/write data), wherein said array controlling unit comprises: a data dividing function for dividing said predetermined data into at least two data items (Data Organizer 34 in Flora is a data dividing function for dividing said predetermined data into at least two data items) and also generating parity data for said predetermined data (Error Circuitry 34 in Flora is a means for generating parity data for said predetermined data); and a data combining function for repairing one of said divided data items, if said one is damaged, using said parity data (during read out Read/Write Interface 25 in Figure 2 and 3 of Flora perform a data combining function for repairing one of said divided data items using Error Circuitry 34 in Flora, if said one is damaged, using said parity data) and also combining said divided data items (Data Organizer 34 in Flora is a means for combining said divided data items).

Art Unit: 2133

Note: the IEEE Authoritative Dictionary of IEEE Standard Terms defines a data processing system as a system including computer and associated personal that performs input, processing, storage output, and control functions to accomplish a sequence of operations on data. In addition, the IEEE Authoritative Dictionary of IEEE Standard Terms defines host as a device, typically a computer that will control the communication with attached peripherals. Hence since a data processing system generally comprises a computer for performing processing, storage output, and control functions to accomplish a sequence of operations on data a data processing system inherently comprises a host computer, i.e. a host system, for controlling communication with attached peripherals.

Note: the IEEE Authoritative Dictionary of IEEE Standard Terms defines cache as a buffer inserted between one or more processors and the bus, used to hold currently active copies of blocks from main memory. Since the buffers in Flora are designed to be connected between a computer and main disk array memory for temporary storage, they are cache.

However Flora does not explicitly teach the specific use of “using said parity data and only the remaining ones of said data items”.

The Examiner asserts that col. 5, lines 50-57 in Flora teaches that removing a damaged disk from the error correction system will not affect system performance as long as the number of correctable errors is not exceeded, hence Flora clearly suggests that disabling a damaged disk will not interfere with system operations assuming an adequate amount error correction capabilities is provided (Note: if a disk drive were

Art Unit: 2133

disabled only the remaining ones of said data items are used). One of ordinary skill in the art at the time the invention was made would have been highly motivated to operate the system with a disabled drive until a replacement drive was found in order to insure system availability and minimize system downtime since Flora explicitly suggests that such operations can be maintained assuming an adequate amount error correction capabilities is provided.

Therefore, it would have been obvious to one of ordinary skill in the art at the time the invention was made to modify the teachings of Flora by including an additional step of using said parity data and only the remaining ones of said data items. This modification would have been obvious to one of ordinary skill in the art, at the time the invention was made, because one of ordinary skill in the art would have recognized that using said parity data and only the remaining ones of said data items would have provided the opportunity to insure system availability and minimize system downtime.

35 U.S.C. 103(a) rejection of claim 4.

Flora teaches a disk array apparatus (Figure 3 in flora is an exemplary disk array apparatus) comprising an array controlling unit for receiving an instruction from an upper-level host system to thereby write predetermined data to or reading said predetermined data from a disk and also conduct operational processing on said predetermined data (Read/Write Interface 25 in Figure 2 and 3 of Flora is an array controlling unit for receiving an instruction from an upper-level host system to thereby write predetermined data to or read said predetermined data out from a disk and also

Art Unit: 2133

conduct operational processing on said predetermined data; Note: the read/write processing taught in col. 3, lines 48-68, col. 4, lines 1-23, col. 4, lines 65-68 and col. 5, lines 1-25 in Flora are read/write data processing steps for conducting predetermined processing on read/write data), wherein said array controlling unit comprises: a data dividing section for dividing said predetermined data into at least two data items (Data Organizer 34 in Flora is a data dividing function for dividing said predetermined data into at least two data items) and also generating parity data for said predetermined data (Error Circuitry 34 in Flora is a means for generating parity data for said predetermined data); a plurality of cache modules for temporarily storing said divided data items and said parity data respectively (Buffers 13-0 to 13-38 are a plurality of cache modules for temporarily storing said divided data items and said parity data respectively); and a data combining section for repairing said divided data item stored in one of said cache modules, if said one fails, using the remaining ones of said divided data items and said parity data (during read out Read/Write Interface 25 in Figure 2 and 3 of Flora perform a data combining function for repairing one of said divided data items using Error Circuitry 34 in Flora, if said one is damaged, using said parity data) and also combining said divided data items (Data Organizer 34 in Flora is a means for combining said divided data items).

Note: the IEEE Authoritative Dictionary of IEEE Standard Terms defines a data processing system as a system including computer and associated personal that performs input, processing, storage output, and control functions to accomplish a sequence of operations on data. In addition, the IEEE Authoritative Dictionary of IEEE

Art Unit: 2133

Standard Terms defines host as a device, typically a computer that will control the communication with attached peripherals. Hence since a data processing system generally comprises a computer for performing processing, storage output, and control functions to accomplish a sequence of operations on data a data processing system inherently comprises a host computer, i.e. a host system, for controlling communication with attached peripherals.

Note: the IEEE Authoritative Dictionary of IEEE Standard Terms defines cache as a buffer inserted between one or more processors and the bus, used to hold currently active copies of blocks from main memory. Since the buffers in Flora are designed to be connected between a computer and main disk array memory for temporary storage, they are cache.

However Flora does not explicitly teach the specific use of "using said parity data and only the remaining ones of said data items".

The Examiner asserts that col. 5, lines 50-57 in Flora teaches that removing a damaged disk from the error correction system will not affect system performance as long as the number of correctable errors is not exceeded, hence Flora clearly suggests that disabling a damaged disk will not interfere with system operations assuming an adequate amount error correction capabilities is provided (Note: if a disk drive were disabled only the remaining ones of said data items are used). One of ordinary skill in the art at the time the invention was made would have been highly motivated to operate the system with a disabled drive until a replacement drive was found in order to insure system availability and minimize system downtime since Flora explicitly suggests that

Art Unit: 2133

such operations can be maintained assuming an adequate amount error correction capabilities is provided.

Therefore, it would have been obvious to one of ordinary skill in the art at the time the invention was made to modify the teachings of Flora by including an additional step of using said parity data and only the remaining ones of said data items. This modification would have been obvious to one of ordinary skill in the art, at the time the invention was made, because one of ordinary skill in the art would have recognized that using said parity data and only the remaining ones of said data items would have provided the opportunity to insure system availability and minimize system downtime.

35 U.S.C. 103(a) rejection of claims 5 and 6.

Each of the Buffers 13-0 to 13-38 in Figure 3 of Flora stores 2048 bit, one bit respectively from each of 2048 words, hence has equal capacity.

35 U.S.C. 103(a) rejection of claim 7.

Col. 3, lines 48-67 of Flora teach that 32 disk sectors are divided into 2048 words, each word comprised of 32 bits, B0-B31, and Error Circuitry 32 in Figure 3 of Flora adds 7 check-bits, i.e., parity, to each word, one word at a time; Note: the matrix array comprising the 2048 words in Figure 4 is divided into 32 columns and 7 check-bits of parity are produced for each word in each row to create an additional 7 columns so that the 2048 words are divided into 32 columns of data, labeled B0-B31, and 7 columns of check-bit parity, corresponding to check-bit parity data items B32-B38; hence each word

comprises 32 data items, B0-B31, and 7 check-bit parity data items, B32-B38, and each column of data, corresponding to data items B0-B31, and each columns of parity, corresponding to check-bit parity data items B32-B38, is serially stored in respective buffers 13-0 to 13-38.

35 U.S.C. 103(a) rejection of claim 8.

Flora, substantially teaches the claimed invention described in claims 1-7 (as rejected above).

However Flora, does not explicitly teach the specific use of the number of said divided data items is set one smaller than a number of a number of said cache modules.

The Examiner asserts that it would have been an obvious Engineering Design choice based on availability of components, choice of error correction codes and circuit requirements to combine buffers so that the number of said divided data items is set one smaller than a number of a number of said cache modules. For example, if an error correction code generating 8-bit parity was used, then 4 data modules could be used for B0-B7, B8-B15, B16-B23 and B24-B31 and a 5th module could be used for the check-bit parity data items B32-B39. One of ordinary skill in the art at the time the invention was made would have been highly motivated to make such changes based on the design requirements for circuitry and error correction capabilities.

Therefore, it would have been obvious to one of ordinary skill in the art at the time the invention was made to modify the teachings of Flora by including use of the number of said divided data items set to one smaller than the number of a number of said cache

Art Unit: 2133

modules. This modification would have been obvious to one of ordinary skill in the art, at the time the invention was made, because one of ordinary skill in the art would have recognized that use of the number of said divided data items set to one smaller than the number of a number of said cache modules would have provided the opportunity to make changes to the preferred embodiment taught in the Flora patent based on the design requirements for circuitry and error correction capabilities to provide an alternative embodiment of the teachings in the Flora patent based on obvious engineering design choices given a set of particular design requirements without deviating from the scope or intent of the teachings in the Flora patent (col. 6, lines 1-5. Flora).

35 U.S.C. 103(a) rejection of claim 9.

Flora teaches a disk array apparatus (Figure 3 in flora is an exemplary disk array apparatus) comprising an array controlling unit for receiving an instruction from an upper-level host system to thereby write predetermined data to or reading said predetermined data from a disk and also conduct operational processing on said predetermined data (Read/Write Interface 25 in Figure 2 and 3 of Flora is an array controlling unit for receiving an instruction from an upper-level host system to thereby write predetermined data to or read said predetermined data out from a disk and also conduct operational processing on said predetermined data; Note: the read/write processing taught in col. 3, lines 48-68, col. 4, lines 1-23, col. 4, lines 65-68 and col. 5, lines 1-25 in Flora are read/write data processing steps for conducting predetermined

processing on read/write data), wherein said array controlling unit comprises: a data dividing section for dividing said predetermined data into at least two data items (Data Organizer 34 in Flora is a data dividing function for dividing said predetermined data into at least two data items) and also generating parity data for said predetermined data (Error Circuitry 34 in Flora is a means for generating parity data for said predetermined data); a plurality of cache modules for temporarily storing said divided data items and said parity data respectively (Buffers 13-0 to 13-38 are a plurality of cache modules for temporarily storing said divided data items and said parity data respectively); and a data combining section for repairing said divided data item stored in one of said cache modules, if said one fails, using the remaining ones of said divided data items and said parity data (during read out Read/Write Interface 25 in Figure 2 and 3 of Flora perform a data combining function for repairing one of said divided data items using Error Circuitry 34 in Flora, if said one is damaged, using said parity data) and also combining said divided data items (Data Organizer 34 in Flora is a means for combining said divided data items).

Note: the IEEE Authoritative Dictionary of IEEE Standard Terms defines a data processing system as a system including computer and associated personal that performs input, processing, storage output, and control functions to accomplish a sequence of operations on data. In addition, the IEEE Authoritative Dictionary of IEEE Standard Terms defines host as a device, typically a computer that will control the communication with attached peripherals. Hence since a data processing system generally comprises a computer for performing processing, storage output, and control

functions to accomplish a sequence of operations on data a data processing system inherently comprises a host computer, i.e. a host system, for controlling communication with attached peripherals.

Note: the IEEE Authoritative Dictionary of IEEE Standard Terms defines cache as a buffer inserted between one or more processors and the bus, used to hold currently active copies of blocks from main memory. Since the buffers in Flora are designed to be connected between a computer and main disk array memory for temporary storage, they are cache.

However Flora, does not explicitly teach the specific use of a recording medium for recording a data read/write-controlling program or the specific use of "using said parity data and only the remaining ones of said data items".

The Examiner asserts that it would be obvious to use a software control program in place of a hardware control program based on obvious Engineering design choice such as available circuit space, available storage for software and requirements associated with capability to be upgraded. One of ordinary skill in the art at the time the invention was made would have been highly motivated to make such changes based on the design requirements for the storage system.

The Examiner asserts that col. 5, lines 50-57 in Flora teaches that removing a damaged disk from the error correction system will not affect system performance as long as the number of correctable errors is not exceeded, hence Flora clearly suggests that disabling a damaged disk will not interfere with system operations assuming an adequate amount error correction capabilities is provided (Note: if a disk drive were

Art Unit: 2133

disabled only the remaining ones of said data items are used). One of ordinary skill in the art at the time the invention was made would have been highly motivated to operate the system with a disabled drive until a replacement drive was found in order to insure system availability and minimize system downtime since Flora explicitly suggests that such operations can be maintained assuming an adequate amount error correction capabilities is provided.

Therefore, it would have been obvious to one of ordinary skill in the art at the time the invention was made to modify the teachings of Flora by including an additional step of using said parity data and only the remaining ones of said data items. This modification would have been obvious to one of ordinary skill in the art, at the time the invention was made, because one of ordinary skill in the art would have recognized that using said parity data and only the remaining ones of said data items would have provided the opportunity to insure system availability and minimize system downtime.

35 U.S.C. 103(a) rejection of claims 10 and 11.

Col. 3, lines 48-67 of Flora teach that 32 disk sectors are divided into 2048 words, each word comprised of 32 bits, B0-B31, and Error Circuitry 32 in Figure 3 of Flora adds 7 check-bits, i.e., parity, to each word, one word at a time; Note: the matrix array comprising the 2048 words in Figure 4 is divided into 32 columns and 7 check-bits of parity are produced for each word in each row to create an additional 7 columns so that the 2048 words are divided into 32 columns of data, labeled B0-B31, and 7 columns of check-bit parity, corresponding to check-bit parity data items B32-B38; hence each word

comprises 32 data items, B0-B31, and 7 check-bit parity data items, B32-B38). Each column of data, corresponding to data items B0-B31, and each columns of parity, corresponding to check-bit parity data items B32-B38, is serially stored in respective buffers 13-0 to 13-38.

Conclusion

7. Applicant's amendment necessitated the new ground(s) of rejection presented in this Office action. Accordingly, **THIS ACTION IS MADE FINAL**. See MPEP § 706.07(a). Applicant is reminded of the extension of time policy as set forth in 37 CFR 1.136(a).


A shortened statutory period for reply to this final action is set to expire THREE MONTHS from the mailing date of this action. In the event a first reply is filed within TWO MONTHS of the mailing date of this final action and the advisory action is not mailed until after the end of the THREE-MONTH shortened statutory period, then the shortened statutory period will expire on the date the advisory action is mailed, and any extension fee pursuant to 37 CFR 1.136(a) will be calculated from the mailing date of the advisory action. In no event, however, will the statutory period for reply expire later than SIX MONTHS from the date of this final action.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Joseph D. Torres whose telephone number is (703) 308-7066. The examiner can normally be reached on M-F 8-5.

Art Unit: 2133

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Albert Decady can be reached on (703) 305-9595. The fax phone number for the organization where this application or proceeding is assigned is 703-872-9306.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).



Joseph D. Torres, PhD
Art Unit 2133



ALBERT DECADY
SUPERVISORY PATENT EXAMINER
TECHNOLOGY CENTER 2100